

### ■ Model No. **YS-30AHE**

Length : 277 mm

Weight : 3.0 kgs

### ■ Specifications:

Max. Pressure : 700 bar

Oil Required : 23 cc

Max. Output : 8.78 tons / 78.1 kN

### ■ Cutting Capacity:

Cu strands : 28 mm

Al strands : 28 mm

Telephone cable : 30 mm

Underground cable : 30 mm

ACSR : 19 mm

CCP cable : 30 mm

**Cutting of plano wire is prohibited.**

### ■ Features:

- Fast cutting with remote operation.
- Operated any hydraulic pump with rated oil pressure of 700 bar(10,000psi).

### ■ Accessories:

Carrying Bag



YS-30AHE #4	Moving Blade
YS-30AHE #5	Moving Blade



# CUTTERS

## ■ Model No. **HYCC-065HE**

Length : 419 mm

Weight : 4.9 kgs

## ■ Specifications:

Max. Pressure : 700 bar

Oil Required : 36 cc

Max. Output : 8.32 tons / 74.0 kN

## ■ Cutting Capacity:

Cu cable : 60 mm

Al cable : 60 mm

CCP cable : 65 mm

Underground cable : 65 mm (Except armoured cable)

Cutting of piano wire is prohibited.

## ■ Features:

- Fast cutting with remote operation.
- Operated any hydraulic pump with rated oil pressure of 700 bar(10,000psi).

## ■ Accessories:

Carrying Bag



P-85YC #6	Moving Blade
P-85YC #7	Moving Blade



### ■ Model No. **HYCC-075S**

Length : 373 mm

Weight : 8.7 kgs

### ■ Specifications:

Max. Pressure : 700 bar

Oil Required : 215 cc

Max. Output : 22.67 tons / 201.7 kN

### ■ Cutting Capacity:

Cu cable : 75 mm

Al cable : 75 mm

Underground cable : max. up to 240 mm<sup>2</sup> x 4 cores  
approx. 65 mm outer diameter

**Cutting of plano wire is prohibited.**

### ■ Features:

- Fast cutting with remote operation.
- Operated any hydraulic pump with rated oil pressure of 700 bar(10,000psi).

### ■ Accessories:

Carrying Bag



HYCC-075S #21	Moving Blade
HYCC-075S #22	Moving Blade



# CUTTERS

## ■ Model No. **HYCC-096S**

Length : 394 mm

Weight : 8.3 kgs

## ■ Specifications:

Max. Pressure : 700 bar

Oil Required : 172 cc

Max. Output : 15.04 tons / 133.8 kN

## ■ Cutting Capacity:

Cu cable : 95 mm

Al cable : 95 mm

Cutting of piano wire is prohibited.

## ■ Features:

- Fast cutting with remote operation.
- Operated any hydraulic pump with rated oil pressure of 700 bar(10,000psi).

## ■ Accessories:

Carrying Bag



HYCC-096S #3	Moving Blade
HYCC-096S #3	Moving Blade



### ■ Model No. P-85YC

Length : 395 mm

Weight : 4.9 kgs

### ■ Specifications:

Max. Pressure : 700 bar

Oil Required : 48 cc

Max. Output : 8.32 tons / 74.0 kN

### ■ Cutting Capacity:

Cu cable : 60 mm

Al cable : 60 mm

CCP cable : 85 mm

Underground cable : 85 mm (Except armoured cable)

**Cutting of plano wire is prohibited.**

### ■ Features:

- Fast cutting with remote operation.
- Operated any hydraulic pump with rated oil pressure of 700 bar(10,000psi).

### ■ Accessories:

Carrying Bag



P-85YC #6	Moving Blade
P-85YC #7	Moving Blade

